


Moving ON with RYTARY

A community-based conversation



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

1

We'd like you to know...

This educational program will feature information about Parkinson's disease from a healthcare provider

This program is not intended to provide medical advice or care

We encourage you to talk with your own healthcare providers for questions about your personal medical condition or management

Out of consideration for their time, the speakers have been compensated by Amneal

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



2

What we'll cover in this program

- 1** SPARK Ambassador and healthcare provider sharing their real experiences with Parkinson's disease and RYTARY
- 2** How levodopa works in the brain to manage the symptoms of Parkinson's disease and "off" time
- 3** How RYTARY may help you have less "off" time and more "on" time
- 4** How to live well with Parkinson's


Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



3

Introductions

Please see Important Safety Information within this presentation. See accompanying Full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



4

SPARK Ambassador perspective

Welcome!

Please share a little about yourselves so we can get to know you better.

Will you talk a little bit about the journey leading up to your Parkinson's diagnosis?



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



5

What is Parkinson's disease?

Parkinson's disease is the fastest growing neurological disorder and impacts millions



By 2030,
1.2 million people in the United States will have the disease



The disease is characterized by **loss of dopamine-producing cells** in certain areas of the brain



The primary symptoms are **motor**, but the disease includes **non-motor** symptoms as well

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



6

SPARK Ambassador perspective

In what ways did these symptoms impact your life or prevent you from doing things you enjoy?

What was it that ultimately led you to seek medical help?

**Who made the diagnosis of Parkinson's disease?
Is this the doctor you are still working with?**



Stories of Parkinson's

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



7

SPARK Ambassador perspective (cont'd)

When you were first diagnosed with Parkinson's disease, can you tell me a little bit about how that made you feel?

Let's talk a bit about the medicines you have taken for Parkinson's disease.



Stories of Parkinson's


Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



8

How does levodopa work in the brain?

The combination of carbidopa (CD) and levodopa (LD) is a mainstay of Parkinson's treatment. CD/LD formulations work by increasing the amount of dopamine available in the brain




Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



9

How well does levodopa work?

Over time, people taking CD/LD begin to fluctuate between “on” and “off” periods



The goal is to maximize “on” time and minimize motor complications

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



10

SPARK Ambassador perspective

What was “on”/“off” time like for you?



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



11

What does “off” time feel like?

“Off” time can include both motor and non-motor symptoms, and is experienced differently by each person living with Parkinson’s.

Motor symptoms may include



- Tremor
- Stiffness
- Slowness
- Difficulty speaking
- Trouble with balance

Non-motor symptoms may include



- Pain
- Fatigue
- Sweating
- Slowness of thinking
- Feelings of anxiety or agitation

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



12

Audience Participation: Let's hear from YOU

What areas of your life have been impacted by "off" time?

Getting dressed in the morning
 Enjoying activities with family and friends
 Communicating effectively
 Feeling tired
 Other

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
 FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



13

How can "off" time impact your life?

Most affected activities

Dressing

Hygiene

Communicating effectively

Getting around the house

Walking short distances

Most troublesome symptoms

Tiredness

Slowness

Reduced dexterity

General stiffness

Slowness during early morning

Talk to your doctor about your "off" time and when it occurs

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
 FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



14

How do you talk to your doctor about “off” time?

It is important to keep track of your “off” time and discuss it with your doctor

- Write down your concerns before your visit
- Be honest with your doctor about what you’ve experienced
- Bring a trusted family member or friend with you
- Bring your medication list



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

RYTARY
levodopa and benserazide
LEVODOPA BENSERAZIDE
ORAL TABLETS
AMNEAL PHARMACEUTICALS

15

SPARK Ambassador perspective

How did you discuss your “off” time with your doctor?

Tell me about the first conversation you had with your healthcare provider about RYTARY. Had you heard about RYTARY before that conversation?

What had you heard about RYTARY?



Stories of Parkinson's

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

RYTARY
levodopa and benserazide
LEVODOPA BENSERAZIDE
ORAL TABLETS
AMNEAL PHARMACEUTICALS

16

SPARK Ambassador perspective (cont'd)

What were your hopes for RYTARY
when you first started taking it?



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



17

RYTARY® (carbidopa and levodopa) extended-release capsules

INDICATION

RYTARY is a prescription medication that contains a combination of carbidopa and levodopa for the treatment of Parkinson's disease, Parkinson's disease caused by infection or inflammation of the brain, or Parkinson's disease like symptoms that may result from carbon monoxide or manganese poisoning.

IMPORTANT SAFETY INFORMATION

Do not take RYTARY with antidepressant medications known as nonselective monoamine oxidase (MAO) inhibitors because taking these two drugs within two weeks of each other can result in high blood pressure.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.




18

What makes RYTARY unique?


Inside each RYTARY capsule is a unique combination of time-release beads:

1/3
Immediate Release



Immediate-release beads are absorbed immediately and provide an initial peak of levodopa at about 1 hour

2/3
Extended Release



Extended-release beads are absorbed slowly and when combined with IR beads, extend plasma LD levels up to 4 to 5 hours


Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



19

RYTARY stays with you longer

Levodopa levels of RYTARY vs other CD/LD medications over a 12-hour period



After delivering an initial peak of levodopa at 1 hour, RYTARY continues to sustain levodopa levels for up to 4 to 5 hours.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



20

What is the safety profile of RYTARY?

IMPORTANT SAFETY INFORMATION

Taking RYTARY may result in falling asleep while engaged in normal activities, even without warning and as late as one year after starting RYTARY. This may affect your ability to drive or operate machinery. Do not do anything that requires alertness until you know how RYTARY affects you.

Tell your healthcare provider if you have any heart conditions, especially if you have had a heart attack or irregular heartbeats; if you experience hallucinations or abnormal thoughts and behaviors (such as excessive suspicion, believing things that are not real, confusion, agitation, aggressive behavior, and disorganized thinking), if you have intense urges to gamble, increased sexual urges, other intense urges, and the inability to control those urges; if abnormal involuntary movements appear or get worse during treatment with RYTARY; or if you have ever had a peptic ulcer or glaucoma.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



21

How can RYTARY help?

In a clinical study* RYTARY demonstrated:

2X REDUCTION
IN "OFF" TIME
during waking hours

2.2 hours vs 1 hour with IR CD/LD

2X INCREASE
IN "ON" TIME
without troublesome dyskinesia

1.8 hours vs 0.8 hour with IR CD/LD

Total "off" time during waking hours and total "on" time without troublesome dyskinesia were secondary endpoints in the clinical trial.

RYTARY also improved performance of motor functions and activities of daily living†

*Clinical trial of patients experiencing motor fluctuations.
†Individual results from taking RYTARY may vary.


Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



22

RYTARY provides an increase in “on” time per dose*

In a different analysis of the same study, people taking the correct or optimized dose of RYTARY experienced an increase of:



Hours of "on" time per dose at baseline and study end: 2.17 and 3.55 with RYTARY vs 2.24 and 2.38 with IR CD/LD

*"On" time per dose is defined as the number of hours per day spent in the "on" state, with or without dyskinesia, divided by the number of levodopa doses per day.
†P<0.0001 vs IR CD/LD.

²³ Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

RYTARY
levodopa and benserazide
LEVODOPA BENSERAZIDE
ORAL SOLUTION FOR ORAL USE
AMNEAL PHARMACEUTICALS

23

RYTARY has side effects similar to IR CD/LD

IMPORTANT SAFETY INFORMATION

The most common side effects that may occur with RYTARY include nausea, dizziness, headache, sleeplessness, abnormal dreams, dry mouth, abnormal involuntary movements, anxiety, constipation, vomiting, and low blood pressure upon rising.

Some patients taking RYTARY have experienced suicidal thoughts or have attempted suicide. Tell your healthcare provider if you have thoughts of suicide or have attempted suicide.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

RYTARY
levodopa and benserazide
LEVODOPA BENSERAZIDE
ORAL SOLUTION FOR ORAL USE
AMNEAL PHARMACEUTICALS

24

What is the safety profile of RYTARY? (cont'd)

IMPORTANT SAFETY INFORMATION (cont'd)

Notify your healthcare provider if you become pregnant or intend to become pregnant during therapy or if you intend to breast-feed or are breast-feeding an infant.

Talk to your healthcare provider before you lower the dose or stop taking RYTARY, as this may result in serious side effects. Call your healthcare provider immediately if you develop withdrawal symptoms such as fever, confusion, or severe muscle stiffness.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



25

SPARK Ambassador perspective

How long did it take you to get to the right dose of RYTARY?

How would you describe that experience?

How do you and your doctor know you are on the right dose of RYTARY?



Stories of Parkinson's


Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



26

Why will I need to take a higher dose of RYTARY compared with my IR CD/LD?

The technology of RYTARY means that the dosages of other levodopa products are not interchangeable on a 1:1 basis with the dosages of RYTARY



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



27

Why is it important to communicate openly with my healthcare provider after starting on RYTARY?

Because dosing is not interchangeable on a 1:1 basis, most people may need an adjustment from their initial dose of RYTARY to reach a dose that works for them

76% of people in the RYTARY clinical trial needed a dose adjustment when they switched from IR CD/LD to RYTARY

Your healthcare provider may decrease or increase your dose or how often you take RYTARY

Communicate with your healthcare provider within 1 to 3 days after starting RYTARY

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



28

Will my healthcare provider be able to reduce the number of capsules of RYTARY I take?

RYTARY is available in 4 different strengths that can be used to reduce the number of capsules you take, once your personalized dose is found



23.75 mg / 95 mg*



36.25 mg / 145 mg*



48.75 mg / 195 mg*



61.25 mg / 245 mg*

Capsules may not be representative of actual size.
*Carbidopa/levodopa.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

RYTARY
carbidopa and levodopa
LEVODOPA/ CARBIDOPA
EXTENDED RELEASE CAPSULES
FOR ORAL USE

29

What is the safety profile of RYTARY? (cont'd)

IMPORTANT SAFETY INFORMATION (cont'd)

Take RYTARY as instructed. You may take RYTARY with or without food; however, taking RYTARY with food may decrease or delay its effect. For this reason, consider taking the first dose of the day about 1 to 2 hours before eating. Swallow RYTARY whole; do not chew, divide, or crush. If you have difficulty swallowing the capsule, twist apart both halves and sprinkle the entire contents of both halves of the capsule on a small amount of applesauce (1 to 2 tablespoons). Consume the mixture immediately. Do not store the drug/food mixture for future use.

Note: This information is intended to aid in the safe and effective use of RYTARY. It is not a disclosure of all possible adverse or intended effects. Tell your healthcare provider if you have any side effects while taking RYTARY. He or she can make adjustments that may reduce these effects.

To report SUSPECTED ADVERSE REACTIONS, contact Amneal Specialty, a division of Amneal Pharmaceuticals LLC at 1-877-835-5472 or the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please read the full [Prescribing Information](#). For more information, go to RYTARY.com and/or talk to your healthcare provider.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

RYTARY
carbidopa and levodopa
LEVODOPA/ CARBIDOPA
EXTENDED RELEASE CAPSULES
FOR ORAL USE

30

SPARK Ambassador perspective

What else can you share about your experience?



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

31

Living well with PD

Tips for living healthfully with Parkinson's disease



Sleep



Eating well and drinking water



Exercise



Stress management

32 Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



32

What did we learn today?



RYTARY is a longer-acting levodopa medication that sustains levodopa levels longer than other CD/LD medications



With RYTARY, you may have less “off” time and more “on” time per dose compared with IR CD/LD



When you start taking RYTARY, it is important to communicate with your healthcare provider

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

RYTARY
levodopa and benserazide
ORAMPHOS
AMNEAL PHARMACEUTICALS
A DIVISION OF AMNEAL

33

Get the support you need with **MyRYTARY**

The MyRYTARY Patient Support Program is designed to make it easier for people to access RYTARY.

Everyone who enrolls is assigned a dedicated case manager who can:



Perform a benefits investigation to help you understand your specific coverage and figure out how much RYTARY is likely to cost.



Tell you about affordability options you may be eligible for, such as the RYTARY Co-Pay Savings Card.

To learn more about MyRYTARY,
call **1-844-467-2928**
(Monday through Friday, 8:00 AM – 8:00 PM ET),
or visit **MyRYTARY.com**.

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

MYRYTARY
PATIENT SUPPORT PROGRAM

34

What can you do next?



Learn more at RYTARY.com and follow us on Facebook

Track of your "off" time with a treatment journal

Talk to your healthcare provider if you're experiencing "off" time, and ask how you could benefit from RYTARY

Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



35

SPARK Ambassador perspective

Do you have any last thoughts you would like to share with our group today?



Please see Important Safety Information within this presentation. See accompanying full Prescribing Information. FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.



36

Any questions?



RYTARY® and MyRYTARY® are registered trademarks of Amneal Pharmaceuticals LLC.
© 2021 Amneal Pharmaceuticals LLC. All rights reserved. PP-SPM-RYT-US-0161 03/2021
Please see Important Safety Information within this presentation. See accompanying Full Prescribing Information.
FOR Amneal Pharmaceuticals; SPEAKER USE ONLY. DO NOT DISTRIBUTE.

